

z/VSE Release Migration and Installation Hints & Tips

Ingo Franzki







Agenda

- Overview
- Status information
 - z/VSE, z/VM
 - Server & storage support
- Hardware upgrades & migration
- z/VSE service terms
- Service deliverables
- Ordering products and service
 - How to find available APARs / PTFs
 - How to apply electronic PTFs
- Migration tasks
 - Planning
 - Fast Service Upgrade (FSU)
 - Initial Installation
 - Post migration tasks
- Data migration after upgrade
- Service recommendation





Overview

Hardware Migration

- New System z box
- Add more capacity (processors, capacity setting)
 IBM = Install Bigger Machine ☺
- New disks, tapes, cards, etc
- Move to a new datacenter

Software Migration

- New z/VSE release or version
- New z/VM release or version
- New (homegrown or purchased) Application
- Add new or additional workload
- Update the service level (apply PTFs)









z/VSE & z/VM Release Status

→z/VSE: http://www.ibm.com/systems/z/os/zvse/about/status.html#vse

Supported z/VSE releases						
Version.Release	Date available	Withdrawal from Marketing effective (1)	Withdrawal from Service effective	Minimum z/VM level (2)		
→ <u>z/VSE V6.1</u>	4Q 2015 Preview	TBD	TBD	z/VM V5.4		
→ z/VSE V5.2	04/25/2014 Announcement	TBD	TBD	z/VM V5.4		
→ <u>z/VSE V5.1</u>	11/25/2011 Announcement	05/23/2014 Announcement	06/30/2016 Announcement	z/VM V5.4		



Note: z/VSE V6.1 requires an initial installation. To ease the migration to z/VSE V6.1, z/VSE V5.2 will still be orderable after general availability of z/VSE V6.1 for a transition period.

→z/VM: http://www.vm.ibm.com/techinfo/lpmigr/vmleos.html

	VM End of Service Effective Dates (mm/dd/yyyy)							
z/VM Product	Release	EOS (mm/dd/yyyy)	GA Date	EOS Announced (mm/yyyy)				
z/VM (5741- A07)	V6.3.0	12/31/2017	07/26/2013	02/03/2015				
z/VM (5741- A07)	V6.2.0	12/31/2016	12/02/2011	Revised on February 4, 2014 (Prior to this announcement EOS was 04/30/2015)				
z/VM (5741- A05)	V5.4.0	12/31/2016, or until the z9 EC and z9 BC are withdrawn from support, whichever is later.	09/12/2008	Revised on August 5, 2014. (Prior to this announcement EOS was 12/31/2014)				





z/VSE Server Support

→ http://www.ibm.com/systems/z/os/zvse/about/status.html#server

z/VSE server support		
IBM z Systems, IBM System z, zSeries and S/390 Server	z/VSE V5.2	z/VSE V5.1
IBM z13 (1)	Yes	Yes
IBM zEnterprise BC12 (1)	Yes	Yes
IBM zEnterprise EC12 (1)	Yes	Yes
IBM zEnterprise 114	Yes	Yes
IBM zEnterprise 196	Yes	Yes
IBM zEnterprise BladeCenter Extension (zBX) - IEDN Support	Yes (2,3)	Yes (2,3)
IBM System z10 BC	Yes	Yes
IBM System z10 EC	Yes	Yes
IBM System z9 EC (formerly z9-109)	Yes	Yes
IBM System z9 BC	Yes	Yes
zSeries 990, 890	No	No
zSeries 900, 800	No	No
S/390 Parallel Enterprise Server G5/G6	No	No
S/390 Multiprise 3000	No	No

Note (1): The z13, zEC12 and zBC12 allow to configure OSA-Express4S and later with OSA/SF in HMC.

Note (2): z/VSE V5.1 and V5.2 can participate in an IEDN through OSA-Express for zBX devices (LPAR or z/VM guests).

Note (3): z/VSE V5.1 and V5.2 can transparently participate in an IEDN through a z/VM VSWITCH. This requires z/VM V6.1 or later.

Note: Before migrating your z/VSE system to a newer server, please order the corresponding <u>PSP bucket</u>.

Note: Server names shown in red are no longer supported by IBM, or a end of support date has been announced

For older and unsupported release, please see here:

http://www.ibm.com/systems/z/os/zvse/about/statusold.html#server





z/VSE Storage Support

→ http://www.ibm.com/systems/z/os/zvse/about/status.html#storage



z/VSE storage support			
IBM Disk Storage Systems	Attachment	z/VSE V5.2	z/VSE V5.1
IBM TotalStorage Enterprise Storage Server model 750, 800 and 800	ECKD	Yes	Yes
Turbo	SCSI (FCP)	Yes	Yes
IBM System Storage DS6000 series	ECKD (1)	Yes	Yes
	SCSI (FCP)	Yes	Yes
IBM System Storage DS8000 series (2,3)	ECKD	Yes	Yes
	SCSI (FCP)	Yes	Yes
IBM System Storage SAN Volume Controller (SVC), IBM Storwize V7000, IBM Storwize V5000, IBM Storwize V3500, IBM Storwize V3700, IBM FlashSystem V840	SCSI (FCP)	Yes	Yes
IBM XIV Storage System	SCSI (FCP)	Yes	Yes
Parallel Access Volume Feature (PAV)	ECKD	Yes	Yes

Note (1): IBM System Storage DS6000 does not offer ESCON connectivity.

Note (2): Full Disk Encryption is supported by z/VSE 4.1 and later.

Note (3): SSD (Solid State Disk) is supported by z/VSE 4.1 and later. For performance considerations refer to the <u>IBM Storage</u> home page.

z/VSE support for adapters and crypto		-
Adapter	z/VSE V5.2	z/VSE V5.1
OSA-Express, OSA-Express2, OSA-Express3, OSA-Express4S (1), OSA-Express5S (1)	Yes	Yes
FICON Express, FICON Express2, FICON Express4, FICON Express8, FICON Express8S, FICON Express16S	Yes	Yes
Crypto Express2, Crypto Express3, Crypto Express4S, Crypto Express5S	Yes	Yes
PCICA, PCIXCC	Yes	Yes
CP Assist for Cryptographic Function (CPACF)	Yes	Yes

Note (1): The z13, zEC12 and zBC12 allow to configure OSA-Express4S and later with OSA/SF in HMC.

Note: zNSE supports selected functions or modes. For details please refer to the \underline{zNSE} Planning manual or to the related announcement letters. Additional PTFs might be required.

IBM Tape Storage Systems	Controllers	z/VSE V5.2	z/VSE V5.1
TS1140 (3592 Model E07) Encryption capable	C07, C06	Yes	Yes (4)
TS1130 (3592 Model E06) Encryption capable	C07, C06	Yes	Yes
TS1120 (3592 Model E05) Encryption capable	C07, C06, J70	Yes	Yes
3592 Model J1A	C06, J70	Yes	Yes
TS3400 Tape Library (Autoloader) containing up to two TS1120 tape drives	C06	Yes	Yes
3590 Model H, E and B	A50, A60	Yes	Yes
3490E	A10, A20	Yes	Yes
3490	A01, A02	Yes	Yes
3480	A22	Yes	Yes

Note (4): Additional PTFs are required.

IBM Tape Library Systems	Controllers	z/VSE V5.2	z/VSE V5.1
TS7680 ProtecTIER Deduplication Gateway	C06, tape drives: virtual 3592 J1A	Yes	Yes
TS7700 Virtualization Engine (5)	See info for tape drives.	Yes	Yes
Copy Export Function		Yes	Yes
Multi-Cluster Grid Support		Yes	Yes
3494 Virtual Tape Server (VTS)	See info for tape drives.	Yes	Yes
TS3500/3584 UltraScalable Tape Library	J70, C06	Yes	Yes
3494 TotalStorage Tape Library	J70, C06, A60	Yes	Yes

Note (5): When using the TS7700 tape library with z/VM's VGS (VSE Guest Support) you need to install z/VM APAR <u>VM64657</u>/PTF UM32727 (DFSMS/VM).

Note: For more information about supported devices please see the z/VSE Planning manual.





Hardware Upgrades & Migrations

- Order related PSP (Preventive Service Package) <u>before</u> migrating to the new hardware
 - → http://www.ibm.com/systems/z/os/zvse/support/preventive.html#psp
 - e.g. search for "2827DEVICE" (2827 = zEC12):

Upgrade 2827DEVICE, Subset 2827/ZOS DEVICE 2827	2013-03-13	Γ	DATE	APAR	PTF	VOLID	COMMENTS
Upgrade 2827DEVICE Upgrade 2827DEVICE	2013-03-13	6		PM70045	UK82199	1000	OSA/SF VSE IOAC139E AT OSA/S
Upgrade 2827DEVICE, Subset 2827/ZVM DEVICE 2827	2013-03-07	5 4 3	12/09/10	PM73907 PM66334 PM49761	UK82285 UK81559 UK81532	1000 1000 1000	OSA/SF VSE IOAC139E AT OSA/S NEW FUNCTION - 42325 NEW FUNCTION 45033
Upgrade 2827DEVICE, Subset 2827/ZVSE DEVICE 2827	2012-12-07	2		DY47406 DY47404	UD53875 UD53871	1000 1000	NEW FUNCTION NEW FUNCTION

- Concurrent microcode upgrade for IBM System Storage
 - ECKD disks: z/VSE recommends to shutdown the z/VSE system prior to the microcode upgrade.
 - FCP-attached SCSI disks: z/VSE does not support concurrent microcode upgrade for FCP-attached SCSI disks.
- Recommendation for IBM Tape Storage:
 - z/VSE with the latest service level supports concurrent microcode upgrade for IBM Tape Storage
 - z/VSE recommends to take the tape units offline (z/VSE OFFLINE command) prior to the microcode upgrade or use the next maintenance window
 - Once the upgrade completed, take the tape units online again (z/VSE ONLINE command)
 - Please check with your software vendors (e.g. tape management systems), if they support concurrent microcode upgrade.



Hardware Upgrades & Migrations

New processor

- At first IPL on new processor, you will see 'OVERLAP ON UNEXPIRED FILE' messages
 - Page dataset
 - Label area (old systems only, newer systems use VDISK)
- →Enter DELETE to let it reformat the page dataset
- For a shared system
 - Make sure CPUID is changed in in ASIPROC
 - Check DLF NCPU parameter is still sufficient

OSA/SF for SNA configuration

Adapter	OSA/SF in HMC	OSA/SF (latest PTFs)	
OSA Express 3	No	Yes	
OSA Express 4S	Yes	Yes	
OSA Express 5S	Yes	No	



Hardware Sizing and Capacity Planning

Sizing a system for z/VSE is different from sizing a system for z/OS

- In general, a faster single CPU is better than multiple smaller CPUs

IBM Processor Capacity Reference for System z (zPCR)

 It is designed to provide capacity planning insight for IBM System z processors running various workload environments

- Capacity results are based on IBM's LSPR data supporting all IBM System z processors
- Large System Performance Reference: http://www.ibm.com/systems/z/advantages/management/lspr/
- For VSE use z/VSE workloads Batch, Online or Mixed
- http://www.ibm.com/support/techdocs/atsmastr.nsf/WebIndex/PRS1381
- 'As is', no official support, e-mail to <u>zpcr@us.ibm.com</u>

A z/VSE Capacity Planning Offering is now available

- Available for Business Partners and Customers
- Performance data collection is based on a new version of the CPUMON Tool
- Analysis is done using zCP3000
- Contact techline@us.ibm.com and ask for z/VSE Capacity Planning Support





Some Terms and Definitions

Version / Release / Modification Level

- z/VSE 5.1.2 = Version 5, Release 1, Modification Level 2
- Version and Release start counting at 1
- Modification Level starts counting at 0
 - At GA of a new Version or Release, the Modification Level is zero
 - z/VSE 5.2 GA = z/VSE 5.2.0



Refresh or Refresh Level

- Same as a new Modification Level
 - e.g. z/VSE 5.1.1 is a Refresh of z/VSE 5.1(.0)
- When you order z/VSE you always get the newest Refresh Level
- SPE = Small Programming Enhancement (usually as part of a Refresh)

GA Version (GA = Globally Available)

- The service level at the time the Version or Release becomes available
- Usually no PTFs applied (vanilla system)

PTF-1

- A set of PTFs that are already available at the time of GA
- Fixes problems that have been found between shipment to the distribution centers, and GA
- It is strongly recommended to order and apply those PTFs right after or during migration!



Some Terms and Definitions - continued

HIPER = High Impact or Pervasive APAR

- An APAR that was flagged as especially important
 - Data loss, integrity
 - · Device or hardware specific

PSP bucket = Preventive Service Planning

- PSP buckets contain all HIPER PTFs
 - For a specific set of products or components
 - On a given z/VSE refresh level
- http://www14.software.ibm.com/webapp/set2/psearch/search?domain=psp

RSL = Recommended Service Level

- Fills the gap between z/VSE refresh levels and the HIPER service (PSP buckets)
- An RSL consists of a list of ALL APAR/PTF numbers, not only the HIPER service.
 - which are available at specific cutoff dates
- RSLs are updated more frequently than refreshes
- http://www-03.ibm.com/systems/z/os/zvse/support/preventive.html#rsl

Installed Software Report Tool (ISR Tool)

- To be used with Shopz service orders
- Report contains a list of products and PTFs that are already installed on your system
 - MSHP RETRACE PRODUCT and RETRACE PTFS
 - Allows Shopz to ship only those PTFs that are not applied






z/VSE Service Deliverables

Priority 1: Stay on a supported level

- → Make sure that your system is always on a supported level to get help and support from IBM when you need it
- → Plan ahead sufficient time for release or version upgrade and for PTF installation
- → Consult your software vendors for upgrades and specific information



	Refresh	RSL	PSP	PTF
What is it	Complete Product (includes all PTFs)	List of ALL PTFs at a cut off day	List of selected PTFs (HIPER)	Official Fix for a code problem (APAR)
When is it available	Every 6-12 Month, usually for the newest release	Every 2-3 Month	Is constantly kept up to date	Will be created when a fix is available
When should it be installed	For base install or Fast Service Upgrade (FSU)	Preventive to stay on an current level	After a refresh installation and preventive to avoid HIPER problems	To fix a certain problem







Ordering Products and Service

Order a new z/VSE System or a Refresh

- You get 2 (or 3) tapes (as AWS images)
 - z/VSE Base Tape
 - z/VSE Extended Base Tape
 - (DB2 Help Texts)
- For Base Install
- Or Fast Service Upgrade (FSU)

Order Optional Products


- You get 1 to N stacked tapes (as AWS images)
- To be installed through Interactive Interface dialogs

Order APARs, PTFs, RSLs, PSPs

- You get a set of PTFs
- As binary file with LRECL 80 (most likely zipped to save download time)
- Apply via Interactive Interface dialogs
 - Through PTF.FILE (IJSYSPF)
 - Or VTAPE

IBM Shopz:


http://www.ibm.com/software/shopzseries





Information about APARs and PTFs

→ http://www.ibm.com/systems/z/os/zvse/support/corrective.html



area that is not owned/allocated by LFP.

http://www14.software.ibm.com/webapp/set2/ psearch/search?domain=sysz

Technical help database

for System z

Search	
Search for:	Q
Sort by: Newest first	Hits per doc type: 10
→ Search tips	→ Start a new search
Document types	- -
☑ AII	
☑ APARs	✓ Flashes
✓ FAQs✓ Product information	 ✓ Preventive service planning ✓ Redbook abstracts
Education	✓ Solutions
▼ Technotes	✓ White papers





Recommended Service Levels and PSP Buckets

PSP Buckets

- http://www.ibm.com/systems/z/os/zvse/support/preventive.html#psp
- e.g. search for "ZVSE510" or "ZVSE431"

			DATE	SUBSET ALTERED	COMMENTS
1-10 of 41 results <u>Next</u> →	Modified		13/02/22	IBMLANG/51K	SECTION 4, ADDED ITEM 9 PM81989 UK91611
Upgrade ZVSE510, Subset IBMLANG/51K LE/VSE BASE Version 1, Release 4, Modification 8	2013-02-22		13/02/21	ZVSE/51C ZVSE/51C ZVSE/51C	SECTION 4, ADDED ITEM 24 DY47454 UD53929 SECTION 4, ADDED ITEM 25 DY47454 UD53928 SECTION 4. ADDED ITEM 23 DY47452 UD53927
2. Upgrade ZVSE510	2013-02-22		12/12/21	ZVSE/51C ZVSE/51C ZVSE/51C	SECTION 4, ADDED ITEM 21 DY47447 UD53922 SECTION 4, ADDED ITEM 22 DY47446 UD53921
VERSION 5, RELEASE 1, MODIFICATION LEVEL 0 of z/VSE 3. Upgrade ZVSE510, Subset ZVSE/51C	2013-02-21		12/12/11 12/11/30	ZVSE/51C IBMLANG/51K	SECTION 4, ADDED ITEM 20 DY47391 UD53846 SECTION 4, ADDED ITEM 6 PM74318 UK82386
VSE Central Functions Version 9, Release 1, Modification 0	2013 02 21	20	10/11/15	IBMLANG/51K IBMLANG/51K	SECTION 4, ADDED ITEM 7 PM73473 UK82153 SECTION 4, ADDED ITEM 8 PM73461 UK82432

Recommended Service Levels (RSLs)

http://www.ibm.com/systems/z/os/zvse/support/preventive.html#rsl

Service recommended for		PTF Order List	Cutoff Date
z/VSE 5.2.0	■ Base Products	→ <u>PTFs 520B</u>	Dec 31, 2014
	Optional Prod.	→ <u>PTFs 5200</u>	
z/VSE 5.1.2	Base Products	→ <u>PTFs 512B</u>	Dec 31, 2014
	Optional Prod.	→ <u>PTFs 5120</u>	
z/VSE 5.1.1	Base Products	→ <u>PTFs 511B</u>	April 9, 2013
	Optional Prod.	→ <u>PTFs 5110</u>	
z/VSE 5.1.0	Base Products	→ <u>PTFs 510B</u>	Apr 26, 2012
	Optional Prod.	→ <u>PTFs 5100</u>	

- Copy & Paste the entire PTF order list into ShopZ
 - Don't worry about the text around, ShopZ will filter out anything that's not a PTF number

Recommended service levels

PTF numbers 12/31/14

z/VSE base Products - 5.2.0

DITTO/ESA VERSION 1.3.0

UI15757 UI22996

EREP 3.5.0

none

ICKDSF 1.17.0

UI22219






IBM Subscription Services

→Get notified when APARs are closed


https://www-947.ibm.com/systems/support/myview/subscription/css.wss/folders?methodName=listMyFolders





Ordering PTFs using IBM Shopz

http://www.ibm.com/software/shopzseries






Applying electronic PTFs

→ http://www.ibm.com/systems/z/os/zvse/documentation/edelivery.html#eptf

Using upload (TCP/IP FTP or IN\$FILE)

- Upload this file into PTF.FILE (IJSYSPF) in BINARY with LRECL 80
- Apply service using the Interactive Interface dialog (1423)
 - Service Medium is DISK



- Rename Shiptfs.bin to Shiptfs.ptf
- Apply service using the Interactive Interface dialog (1423)
 - Service Medium is TAPE
 - Select to use virtual tape
 - On panel UTL\$VTA2 specify the IP address or hostname of your PC or workstation (where the VSE Virtual Tape Server runs)
 - Also specify the full qualified path and file name of the shiptfs.ptf file where it resides on your PC or workstation

PTF files should NOT be transferred directly to the z/VSE system (POWER reader), because

- PRE- and CO-requirements may not be fulfilled due to wrong order of PTFs, CO-requirements will not work at all
- POWER JECL included in the data part of the PTFs will be processed while running the job
 - · This leads to modified contents of the PTF and also might cause the code to be incomplete
- Missing POWER JECL in the PTF file causes POWER to extract VSE JOB cards, this also leads to modified contents of the PTF and may also be incomplete due to job termination
- No indirect application possible






Migration tasks

Planning for a migration

- Order latest updates, Products, PTFs, RSLs, PSPs, etc
- Order latest Vendor products and updates
- Consider system layout changes (if needed)
- Performance
 - Activate a performance monitor
 - Keep monitor data from old and new system for an extended time frame
- Testing
 - Make sure test systems are available to test the migration first
 - Plan for an extended testing phase
 - Test your applications, your data, performance
 - Test with high load, with lots of users, lots of data, etc
- Plan for final cutover.
 - Data migration (reorganization, reformat, etc)
 - Keep an old system just in case (as backup or live)
- Plan for fallback
 - Make sure you have a proper backup available
 - Migrating data back might be tricky, if new features have been used on new system





Migration tasks - continued

Fast service Upgrade (FSU)

- FSU will update IBM provided parts like
 - System Libraries
 - ICCF members
 - System Files (e.g. Online Message Explanation (OME)
- But keep all user data, applications and products installed



Initial Installation

- Initial Installation will just establish the z/VSE system
- User data, applications and additional products need to be reestablished
- Usually Initial Installation is done on a test system (LPAR or VM guest)

Situations when an Initial Installation is required:

- Previous system is too old, In general FSU allows to upgrade only two releases/versions.
- No FSU from VSE/ESA 2.3 and earlier.
- Change of system disk architecture, like switching from ECKD to FBA SCSI.
- Change of the system language (actually only Japanese and English is supported)
- Change of environment like change to C (big). However this can be switched manually after FSU.



Performing a Fast Service Upgrade (FSU)

FSU requires a z/VSE base tape

- On physical cartridge
- As VSAM VTAPE (use FTP to upload AWS file into a VSAM ESDS cluster)



Checklist for FSU

- PRD2.SAVE contains all current startup procedures, label procedures, current DTSECTAB
 - especially procedures with same name as shipped procedures
- PRD2.CONFIG contains all configurable files like CICS tables, TCPIP configuration, VTAM startup
- Check if own POWER phase and allocation
 - specify accordingly in FSU dialog. DTRPOWR.PROC refers to all POWER files? Run POWER generation at the end of Stage 1
- Consider to establish startup with separate JCL procedures without activating vendor software, especially with external security manager

Downlevel Check

- This is an installation check showing service to be re-installed after FSU
- Does not change the system
- Makes no sense in case of a release/version upgrade, but important for installing a refresh

FSU Preparation

- This step is very important!
- Establishes the new FSU code and enables it on the old system
- AFTER Preparation has been completed, generate the FSU job stream
 - If you generate it before, then it will not work





Performing a Fast Service Upgrade (FSU) - continued



FSU Installation

Stage 1:

- IJSYSRS onto SYSWK1 including NLS parts
- PRD1.MACLIB
- PRD2.GEN1 (optional will be cleared if not selected)
- Prepare JCL for Stage 2
- At the end of Stage1 generate POWER phase

Re-IPL from SYSWK1

- Using a special FSU JCL and normal IPL procedure
- · OEM products are not started

- Stage 2:

- Restore ICCF parts, base and NLS (IBM libraries only)
- Install of PRD2.SCEEBASE (LE) and PRD1.BASE (CICS, VTAM, etc)
- Refresh OME
- Refresh Text Repository File, upgrade CSD
- Clear local and global catalog for a so called ice-cold start of CICS
- Install DB2 (optional)
- Reorganize DTSFILE (optional)
- Copy back IJSYSR1

Stage 2 runs without CICS, TCPIP, VTAM

at the end basic CICS and VTAM are started



Performing a Fast Service Upgrade (FSU) - continued

Post FSU tasks

- Update your default selection panels and your default application profiles
- Shutdown the system and re-IPL from DOSRES
- Re-catalog or recompile your modified configuration members using the new skeletons
 - Startup procedures
 - VTAM books
 - CICS tables
 - LE/VSE runtime options CEEDOPT and CEEWCOPT
 - Node error and auto install programs
 - etc.
- Re-install optional and extended base products
- Re-install vendor products or install service
- Install RSL and PSP
- Generate SA Dump disk or tape
- Migrate to the new Security concept (if not already done)

For additional information please see

- System Upgrade and Service manual
- Program Directory



Performing an Initial Installation

Initial Installation requires a physical z/VSE base tape on cartridge (IPL'able)

- VTAPE is not supported
- You may need to copy the base tape from AWS (VTAPE) onto a physical tape
- z/VSE 5.2 or later: Tapeless installation using installation disk

IPL the z/VSE base tape

- Initial Installation will start
- Choose automatic install and enter required information
- Remaining process runs mainly automatic

After Initial Installation, optional and vendor products must be installed


- Startup procedures and hardware must be configured
- VSAM catalogs and data must be established
- POWER Files must be loaded
- CSD File needs to be updated
- DTSFILE (ICCF) user libraries restore
- DB2 and DLI data if available, install and restore database
- Security setup (IESCNTL and BSTCNTL)
- Other data must be restored or imported
- Generate SA Dump disk or tape






z/VSE 5.2: Tapeless Initial Installation

Step 1: Create a z/VSE Installation Disk



Step 2: Install from Disk





Post Migration Tasks

SA Dump

- Generate SA dump to disk (recommended) or tape
- IUI dialog fast path 461 or 462



Dump Library

- Dump library is now a VSAM library (since z/VSE 5.1), which is more flexible in space
- Space is allocated in master catalog
- Space allocation is dependent on environment selected
- FSU will not move, if wished, moving to VSAM can be done using skeleton SKDMPEXT

Install latest PTFs, RSLs, PSPs, Vendor product updates, etc

Verification and Test

- Check your security setup
- User Profiles
- Check VSAM catalogs using the catalog checker
- Test applications



Data Migration after Upgrade

VSAM (not required for FSU, but recommended)


- VSAM Backup/Restore
- VSAM catalogs with EXPORT-DISCONNECT and IMPORT-CONNECT
- Please carefully check definition of models used for workfiles on other disks than DOSRES or SYSWK1
- Entire catalogs can also be copied using Flashcopy
 - For each catalog, all disks where it owns space has to be flashed
 - Be aware that disks have to have same model type, e.g. 3390-3.

Other data

- Entire disks can be copied using:
 - FCOPY
 - IXFP Flashcopy
 - DDR

Copy of system disks

- For the two system disk, make sure in case of DDR that the system is down
- For FCOPY standalone-FCOPY is recommended for the system packs
- If the master catalog or VSESPUC catalog have storage on disks other than DOSRES or SYSWK1, these volumes also have to be saved





Data Migration after Upgrade - continued

POWER


- Migration with POFFLOAD on a tape (VTAPE)
- Shared Spool
 - Conversion of POWER files is not recommended, POFFLOAD and cold start from the master system is recommended

CICS CSD File

- FSU and Initial Installation will update/establish IBM provided groups
- User definitions might have to be migrated

Databases

- DLI
 - Take data base backups
 - Data base can also be migrated
 - Be aware of different releases, DLI 1.10 on CICS/VSE and DL/I 1.11 are no longer supported (z/VSE 4.3.x and higher). Migration to DL/I 1.12 is required.
 - Do not use disk copies (DDR or FCOPY) while data base is in use
- DB2
 - Use DB2 Data Restore feature



IBM

Data Migration after Upgrade - continued

ICCF and DTSFILE


- FSU will update IBM libraries only (1, 2, 50-69)
 - User libraries are untouched
- After Initial Installation user libraries need to be restored
 - Do not migrate IBM libraries!

User profiles

- No change to VSE Control File (IESCNTL) during FSU
- Migration with IESBLDUP utility after Initial Installation
 - · All user profiles, user defined selections and application definitions will be migrated
 - The VSE Control File of the original System and a Backup of the ICCF DTSFILE is needed
 - After IESBLDUP job, use PF6=GROUPS in dialog "Maintain User Profiles" to update BSTCNTL with user definition

Security Files (BSM Control File and DTSECTAB)

- FSU Stage 2 will run without batch security
 - original DTSECTAB phase if saved in PRD2.SAVE is re-established.
 - BSTCNTL is updated (transaction security) by FSU
- Initial installation will establish a fresh BSM Control File
 - all user specific security settings must be migrated using skeleton SKBSTSAV
 - Don't copy this file using VSAM REPRO or similar
 - DTSECTAB has to be re-established





Things that should **NOT** be changed

- Don't change library structure IJSYSRS, PRD1, PRD2, SYSDUMP
- Don't change catalog layout, especially storage for master and user catalog VSESP.USER.CATALOG (VSESPUC)
- Control files IESCNTL and BSTCNTL must be unique in the system and accessible by BSM (FB partition) and each CICS with IUI (DBDCCICS and PRODCICS)



- These files should not be shared between VSE systems
- Especially BSTCNTL do not copy via VSAM REPRO services, use logical backup/restore vie SKBSTSAV in ICCF 59
- It is not recommended to change allocation of IJSYSRS and IJSYSR1
- Use STDLABEL procedure to implement your DLBLs (BAM), STDLABUP and IESVCLUP program for VSAM DLBLs, STDLABUS for user labels
- Do not change volids DOSRES and SYSWK1
- History file, work history file, job manager file, text repository file, text repository work file and PTF file
 - If changed, reflect change in dialog 141 Verify Location of Involved Serviced Files



Service Recommendations

→ It is essential to have a preventive maintenance strategy

Install the latest refresh

About every 12 Month

If you are on a current refresh level

- Install the newest RSL
 - · About every 6 Month
- Install the newest PSP Bucket
 - About every 3 Month
 - Also order the hardware bucket when you install new hardware

When migrating to a new z/VSE release or version:

- Order and install the latest refresh level
 - Don't use a tape that you already have on the shelf for a long time
- Order and install the newest RSLs and PSP buckets for this refresh
- Optional Products should be re-ordered and re-installed after upgrade
- Products on the Extended Base tape should be re-installed
- Also consult your Software Vendors for their corresponding service levels
- Check Release Guide and Planning manuals as well as the z/VSE web page for additional considerations
- Have a testing period to make sure everything runs well as it did before
- Order and install the newest PSP bucket again 2-3 weeks before production cutover
- Before production cutover have a fallback plan in place





Questions?



THANK YOU